

path_class
outside : int
fake_full_path : int
mask : int
fake_leading_dirs : Vector
fake_extra_path : int
fake_name : int
real_full_path : String
real_leading_dirs : Vector
real_extra_path : String
real_name : String
fake_full_path_clean : int
fake_leading_dirs_clean : int
fake_extra_path_clean : int
fake_name_clean : int
real_full_path_clean : int
real_leading_dirs_clean : int
real_extra_path_clean : int
real_name_clean : int


public_functions : V
enums : Vector
so : Object
vfs : Object
vfs_basedir : String
valid_pathes : Vector
send_file_ips : Vector
boinfoolog(info_id: int)
check_access(info_id: int)
init() : void
link_id2form(info: Vector)
read(info_id: void) : String
accountInfo(id: int, a)

vfs
basedir : String
fakebase : String
relative : String
working_id : String
working_lid : String
attributes : Vector
override_acl : int
linked_dirs : Vector
meta_types : Vector
vfs() : void
set_relative(mask: int) : void
get_relative() : int
sanitize(string: String) : String
securitycheck(string: String) : boolean
db_clean(string: String) : String
extra_sql(query_type: String) : String

boinfo
ector
r r
it) : void d: void,required_rights: void) : int  'ector,not_app: String,not_id: String) : String Vector ccount_data: int) : Vector


app_register : Vector vfs : Object vfs_basedir : String vfs_appname : String valid_pathes : Vector send_file_ips : Vector
bolink() : void link(app1: String,id1: int,app2: Vector, get_links(app: String,id: int,only_app: S get_link(app_link_id: int,id: String,app2 unlink(link_id: int,app: String,id: String app_list() : Vector query(app: String,pattern: String) : Vec title(app: String,id: String,link: String) : view(app: String,id: String,link: String) get_file(link: String) : void vfs_path(app: String,id: String,file: Stri attach_file(app: String,id: String,file: St delete_attached(app: String,id: String,f info_attached(app: String,id: String,file fileinfo2link(fileinfo: Vector) : Vector list_attached(app: String,id: String) : Ve is_win_path(path: String) : boolean read_attached(app: String,id: String,file attached_local(app: String,id: String,fil calendar_title(event: Vector) : String calendar_query(pattern: String) : Vecto addressbook_title(addr: String) : String addressbook_query(pattern: String) : V projects_title(proj: String) : String projects_query(pattern: String) : Vector

db : Object



solink
or
<p>tring,app2: String,id2: String,remark: String,owner: String,lastmod: int) : int</p> <p>l: String,only_app: String,order: String) : Vector</p> <p>tring,id: String,app2: String,id2: Vector) : Vector</p> <p>String,id: String,owner: String,app2: String,id2: String) : int</p> <p>ew_owner: String) : int</p>

uilink
<p>ng,app: String,id: int) : String</p> <p>tring,app: String,id: int,only_app: String,show_unlink: boolean) : String</p> <p>,id: int,html: Object) : String</p> <p>id: int,only_app: String,show_unlink: boolean) : void</p>

uiinfolog
<p>: Vector</p>
<p>l</p> <p>ctor,readonlys: Vector,action: String,action_id: String) : Vector</p> <p>Vector,rows: Vector,readonlys: Vector) : Vector</p> <p>tor,action: String,action_id: int,referrer: String) : void</p> <p>ctor,action: String,action_id: int,type: String,referrer: String) : void</p> <p>on: String,app: String) : Vector</p> <p>d: String,status: String) : String</p> <p>String</p> <p>Vector) : void</p>


extra\_sql(query\_type: String) : String  
add\_journal(string: String,relatives: Vector,operation: String,state\_one: boolean,state\_two: boolean) : boolean  
flush\_journal(string: String,relatives: Vector,deleteall: boolean,deletedonly: boolean) : boolean  
get\_journal(string: String,relatives: Vector,type: boolean) : boolean  
path\_parts(string: String,relatives: Vector,object: boolean,nolinks: boolean) : Vector  
getabsolutepath(target: boolean,relatives: Vector,fake: boolean) : String  
acl\_check(file: String,relatives: Vector,operation: int,target: boolean) : boolean  
cd(target: String,relative: boolean,relatives: Vector) : boolean  
pwd(full: boolean) : String  
read(file: String,relatives: Vector) : String  
write(file: String,relatives: Vector,contents: String) : boolean  
touch(file: String,relatives: Vector) : boolean  
cp(from: String,to: String,relatives: Vector,symlink: boolean) : boolean  
copy(from: String,to: String,relatives: Vector) : boolean  
symlink(from: String,to: String,relatives: Vector) : boolean  
readlink(file: String,relatives: Vector) : String  
fileinfo(file\_id: String) : Vector  
mv(from: String,to: String,relatives: Vector) : boolean  
move(from: String,to: String,relatives: Vector) : boolean  
rm(string: String,relatives: Vector) : boolean  
delete(string: String,relatives: Vector) : boolean  
mkdir(dir: String,relatives: Vector) : boolean  
make\_link(vdir: String,rdir: String,relatives: Vector) : boolean  
set\_attributes(file: String,relatives: Vector,attributes: Vector) : boolean  
correct\_attributes(string: String,relatives: Vector) : boolean  
file\_type(file: String,relatives: Vector) : String  
file\_exists(string: String,relatives: Vector) : String  
get\_size(string: String,relatives: Vector,checksubdirs: boolean) : int  
checkperms(dir: String,relatives: Vector) : boolean  
ls(dir: boolean,relatives: Vector,checksubdirs: boolean,mime\_type: boolean,nofiles: boolean) : Vector  
dir(dir: boolean,relatives: Vector,checksubdirs: boolean,mime\_type: boolean,nofiles: boolean) : Vector  
command\_line(command\_line: String) : Vector  
update\_real(string: String,relatives: Vector) : boolean  
update\_real(string: String,relatives: Vector) : Vector


---



o: boolean,incversion: boolean) : boolean  
clean

an,orderby: String) : Vector  
ean,orderby: String) : boolean

db : Object  
db2 : Object  
data : Vector  
filters : Vector  
user : String  
grants : Vector  
soinfoolog(info\_id: int  
check\_access(info\_id:  
aclFilter(filter: String  
statusFilter(filter: Str  
dateFilter(filter: Strin  
init() : void  
db2data(data: Vector)  
read(info\_id: int) : Ve  
delete(info\_id: int) : v  
change\_delete\_owne  
write(values: Vector)  
anzSubs(info\_id: int)  
search(order: String,



---

```
) : void  
l: int,required_rights: Vector) : boolean  
) : String  
ing) : String  
g) : String
```

```
r) : void  
ector  
void  
r(owner: int,new_owner: int) : void  
: int  
: String
```

```
sort: String,filter: String,cat_id: int,query: String,action: String,action_id: int,ordermethod: Str
```

---

	sb
	getId(name: String,lang_name: String,prompt: boolean,id_name: S event2name(event: String) : String getEvent(name: String,id_name: String,query_name: String,title: St addr2name(addr: Vector) : String getAddress(name: String,id_name: String,query_name: String,title addr2email(addr: Vector,home: String) : String getEmail(name: String,id_name: String,query_name: String,title: St getProject(name: String,id_name: String,query_name: String,title: getItem(key: Integer,arr: Vector,no_lang: boolean,options: St getPercentage(name: String,selected: int,options: String) : String getPriority(name: String,selected: int,options: String) : String getAccessList(name: String,selected: String,options: String) : Strin getCountry(name: String,selected: String,options: String) : String form_select(name: String,selcted: String,options: String) : String accountInfo(id: String,account_data: Vector,longnames: int,show_ getAccount(name: String,id: String,longnames: int,type: String,mu getDate(n_year: int,n_month: int,date: Vector,options: String) : vo getCategory(name: String,cat_id: String,noteall: boolean,jscript: b

ing,start: int,total: int) : Vector

ox2

tring,content: Vector,note: String,multiple: boolean) : Vector

tring,multiple: boolean) : Vector

: String,multiple: boolean) : Vector

:ring) : Vector

String) : Vector

:ring,multiple: int) : String

g

.type: int) : String

ltiple: int,options: String) : String

id

oolean,multiple: int,options: String) : String