

Sample document testing the glossaries-extra package

Nicola Talbot

August 10, 2017

Contents

1	Introduction	3
2	General Entries	4
3	Abbreviations	6
	Glossary	7
	List of Abbreviations	8
	Index	9

1 Introduction

This is a sample document testing the `glossaries-extra` package.

2 General Entries

Sample entries: **duck** and **parrot**.

Test makeindex's special characters: @ (actual) " (escape) ! (level) and | (encap).

Use some entries again: **duck** and **parrot**.

3 Abbreviations

First use: **hypertext markup language (HTML)** and **extensible markup language (XML)**.

Next use: **HTML** and **XML**.

Glossary

! makeindex's default for the “level value” [4](#)

" makeindex's default for the “escape value” [4](#)

@ makeindex's default for the “actual value” [4](#)

| makeindex's default for the “encap value” [4](#)

Duck a waterbird with webbed feet [4](#), [5](#)

Parrot mainly tropical bird with bright plumage [4](#), [5](#)

List of Abbreviations

HTML hypertext markup language 6

XML extensible markup language 6

Index

Page numbers in bold indicate an entry in the glossary or list of abbreviations.

!, [4](#), [7](#)

", [4](#), [7](#)

@, [4](#), [7](#)

|, [4](#), [7](#)

duck, [4](#), [5](#), [7](#)

HTML, [6](#), [8](#)

parrot, [4](#), [5](#), [7](#)

sample, [3](#)

XML, [6](#), [8](#)